

## CABINET WITH WHEELS WITH 6 DRAWERS 2X50 2X75 1X150 1X200



The photo is used only for illustrative and non-exhaustive purpose

| ART.            | EAN           | W [mm] | D [mm] | H [mm] | Net weight [kg] |
|-----------------|---------------|--------|--------|--------|-----------------|
| M12R070C010SSPD | 8055719789700 | 418    | 637    | 922    | 63              |

|            |                     |     |
|------------|---------------------|-----|
| Dimensions | Width [EH]          | 18  |
|            | Depth [EH]          | 27  |
|            | Overall height [mm] | 922 |
|            | Overall width [mm]  | 418 |
|            | Overall depth [mm]  | 637 |

|            |              |                              |
|------------|--------------|------------------------------|
| Properties | Colour       | Light grey + Anthracite grey |
|            | RAL          | 7035+7016                    |
|            | Drawers [NR] | 6                            |

Tolerances: dimensions  $\pm 2\%$  weights  $\pm 5\%$



INNOVATION  
SINCE 1929.



Company certificated ISO 9001

### FAMIS.r.l.

VIA STAZIONE ROSSANO, 13 – 36027 ROSÀ (VI) ITALY  
TEL +39 0424 585455 – FAX +39 0424 585470  
INFO@FAMISPA.COM  
R.I. DI VICENZA, C.F. & P. IVA IT03498610249  
CAPITALE SOCIALE EURO 100.000,00 INT. VERS.  
CCIAA VI: R.E.A. N° 330190

Soggetta ad attività di direzione e coord. di C.I.M.M. S.p.A.

FAMI EXPORT DEPT.  
TEL +39 0424 585455  
FAX +39 0424 585472  
EXPORT@FAMISPA.COM

[WWW.FAMISPA.COM](http://WWW.FAMISPA.COM)

STOREVAN  
TEL +39 0424 585455  
FAX +39 0424 585482  
INFO@STOREVAN.IT

[WWW.STOREVAN.COM](http://WWW.STOREVAN.COM)

|               |                              |           |
|---------------|------------------------------|-----------|
| Empty cabinet | Load capacity [kg]           | 3100      |
|               | Commercial height [mm]       | 700       |
|               | Commercial width [mm]        | 408       |
|               | Commercial depth [mm]        | 573       |
|               | Width [EH]                   | 18        |
|               | Depth [EH]                   | 27        |
|               | Overall height [mm]          | 699       |
|               | Overall width [mm]           | 407       |
|               | Overall depth [mm]           | 573       |
|               | Insertion useful height [mm] | 600       |
|               | Usable insertion width [mm]  | 355       |
|               | Colour                       | Lightgrey |
|               | RAL                          | 7035      |
|               | Quantity [NR]                | 1         |

|     |                              |           |
|-----|------------------------------|-----------|
| Bar | Material                     | Aluminium |
|     | Pitch [mm]                   | 25        |
|     | Commercial height [mm]       | 657       |
|     | Commercial width [mm]        | 117       |
|     | Commercial depth [mm]        | 62        |
|     | Overall height [mm]          | 657       |
|     | Overall width [mm]           | 117       |
|     | Overall depth [mm]           | 62        |
|     | Insertion useful height [mm] | 600       |
|     | Fixing                       | Included  |
|     | Quantity [NR]                | 1         |

|         |                     |                                                                                                                |
|---------|---------------------|----------------------------------------------------------------------------------------------------------------|
| Closure | Width [EH]          | 18                                                                                                             |
|         | Depth [EH]          | 27                                                                                                             |
|         | Closure             | Key                                                                                                            |
|         | Closure code        | C0                                                                                                             |
|         | Closure description | All the keys will have a different numbering - The lock serial number will be a random figure between 1 and 19 |
|         | Lock position       | Central                                                                                                        |
|         | Push to open        | No                                                                                                             |
|         | Locks [NR]          | 1                                                                                                              |
|         | Quantity [NR]       | 1                                                                                                              |

Tolerances: dimensions  $\pm 2\%$  weights  $\pm 5\%$ 

INNOVATION  
SINCE 1929.



Company certificated ISO 9001

**FAMIS.r.l.**

VIA STAZIONE ROSSANO, 13 – 36027 ROSÀ (VI) ITALY  
TEL +39 0424 585455 – FAX +39 0424 585470  
INFO@FAMISPA.COM  
R.I. DI VICENZA, C.F. & P. IVA IT03498610249  
CAPITALE SOCIALE EURO 100.000,00 INT. VERS.  
CCIAA VI: R.E.A. N° 330190  
Soggetta ad attività di direzione e coord. di C.I.M.M. S.p.A.

FAMI EXPORT DEPT.  
TEL +39 0424 585455  
FAX +39 0424 585472  
EXPORT@FAMISPA.COM

[WWW.FAMISPA.COM](http://WWW.FAMISPA.COM)

**STOREVAN**  
TEL +39 0424 585455  
FAX +39 0424 585482  
INFO@STOREVAN.IT

[WWW.STOREVAN.COM](http://WWW.STOREVAN.COM)

|                  |                        |                  |
|------------------|------------------------|------------------|
| 4-edge top shelf | Material               | PVC coated steel |
|                  | Commercial height [mm] | 23               |
|                  | Commercial width [mm]  | 409              |
|                  | Commercial depth [mm]  | 577              |
|                  | Width [EH]             | 18               |
|                  | Depth [EH]             | 27               |
|                  | Overall height [mm]    | 23               |
|                  | Overall width [mm]     | 409              |
|                  | Overall depth [mm]     | 577              |
|                  | Colour                 | Black            |
|                  | Fixing                 | Included         |
|                  | Quantity [NR]          | 1                |

|        |                        |                 |
|--------|------------------------|-----------------|
| Handle | Material               | Aluminium       |
|        | Commercial height [mm] | 65              |
|        | Commercial width [mm]  | 417             |
|        | Commercial depth [mm]  | 125             |
|        | Diameter [mm]          | 25              |
|        | Width [EH]             | 18              |
|        | Overall height [mm]    | 65              |
|        | Overall width [mm]     | 417             |
|        | Overall depth [mm]     | 125             |
|        | Colour                 | Anthracite grey |
|        | Fixing                 | Included        |
|        | RAL                    | 7016            |
|        | Quantity [NR]          | 1               |

Tolerances: dimensions  $\pm 2\%$  | weights  $\pm 5\%$ 

INNOVATION  
SINCE 1929.



Company certificated ISO 9001

**FAMIS.r.l.**

VIA STAZIONE ROSSANO, 13 – 36027 ROSÀ (VI) ITALY  
TEL +39 0424 585455 – FAX +39 0424 585470  
INFO@FAMISPA.COM  
R.I. DI VICENZA, C.F. & P. IVA IT03498610249  
CAPITALE SOCIALE EURO 100.000,00 INT. VERS.  
CCIAA VI: R.E.A. N° 330190

Soggetta ad attività di direzione e coord. di C.I.M.M. S.p.A.

FAMI EXPORT DEPT.  
TEL +39 0424 585455  
FAX +39 0424 585472  
EXPORT@FAMISPA.COM

[WWW.FAMISPA.COM](http://WWW.FAMISPA.COM)

**STOREVAN**  
TEL +39 0424 585455  
FAX +39 0424 585482  
INFO@STOREVAN.IT

[WWW.STOREVAN.COM](http://WWW.STOREVAN.COM)

|        |                        |                 |
|--------|------------------------|-----------------|
| Drawer | Extraction [%]         | 92-96-100       |
|        | Load capacity [kg]     | 100-75-50       |
|        | Pitch [mm]             | 17              |
|        | Extraction type        | Flexible        |
|        | Commercial height [mm] | 50              |
|        | Commercial width [mm]  | 357             |
|        | Commercial depth [mm]  | 569             |
|        | Width [EH]             | 18              |
|        | Depth [EH]             | 27              |
|        | Overall height [mm]    | 44              |
|        | Overall width [mm]     | 357             |
|        | Overall depth [mm]     | 569             |
|        | Useful height [mm]     | 33              |
|        | Useful width [mm]      | 296             |
|        | Useful depth [mm]      | 449             |
|        | Colour                 | Anthracite grey |
|        | Fixing                 | Included        |
|        | RAL                    | 7016            |
|        | Quantity [NR]          | 2               |

|        |                        |                 |
|--------|------------------------|-----------------|
| Drawer | Extraction [%]         | 92-96-100       |
|        | Load capacity [kg]     | 100-75-50       |
|        | Pitch [mm]             | 17              |
|        | Extraction type        | Flexible        |
|        | Commercial height [mm] | 75              |
|        | Commercial width [mm]  | 357             |
|        | Commercial depth [mm]  | 569             |
|        | Width [EH]             | 18              |
|        | Depth [EH]             | 27              |
|        | Overall height [mm]    | 69              |
|        | Overall width [mm]     | 357             |
|        | Overall depth [mm]     | 569             |
|        | Useful height [mm]     | 58              |
|        | Useful width [mm]      | 296             |
|        | Useful depth [mm]      | 449             |
|        | Colour                 | Anthracite grey |
|        | Fixing                 | Included        |
|        | RAL                    | 7016            |
|        | Quantity [NR]          | 2               |

Tolerances: dimensions  $\pm 2\%$  weights  $\pm 5\%$ 

INNOVATION  
SINCE 1929.



Company certificated ISO 9001

#### FAMIS.r.l.

VIA STAZIONE ROSSANO, 13 – 36027 ROSÀ (VI) ITALY  
TEL +39 0424 585455 – FAX +39 0424 585470  
INFO@FAMISPA.COM  
R.I. DI VICENZA, C.F. & P. IVA IT03498610249  
CAPITALE SOCIALE EURO 100.000,00 INT. VERS.  
CCIAA VI: R.E.A. N° 330190  
Soggetta ad attività di direzione e coord. di C.I.M.M. S.p.A.

FAMI EXPORT DEPT.  
TEL +39 0424 585455  
FAX +39 0424 585472  
EXPORT@FAMISPA.COM

[WWW.FAMISPA.COM](http://WWW.FAMISPA.COM)

STOREVAN  
TEL +39 0424 585455  
FAX +39 0424 585482  
INFO@STOREVAN.IT

[WWW.STOREVAN.COM](http://WWW.STOREVAN.COM)

|        |                        |                 |
|--------|------------------------|-----------------|
| Drawer | Extraction [%]         | 92-96-100       |
|        | Load capacity [kg]     | 100-75-50       |
|        | Pitch [mm]             | 17              |
|        | Extraction type        | Flexible        |
|        | Commercial height [mm] | 150             |
|        | Commercial width [mm]  | 357             |
|        | Commercial depth [mm]  | 569             |
|        | Width [EH]             | 18              |
|        | Depth [EH]             | 27              |
|        | Overall height [mm]    | 144             |
|        | Overall width [mm]     | 357             |
|        | Overall depth [mm]     | 569             |
|        | Useful height [mm]     | 133             |
|        | Useful width [mm]      | 296             |
|        | Useful depth [mm]      | 449             |
|        | Colour                 | Anthracite grey |
|        | Fixing                 | Included        |
|        | RAL                    | 7016            |
|        | Quantity [NR]          | 1               |

|        |                        |                 |
|--------|------------------------|-----------------|
| Drawer | Extraction [%]         | 92-96-100       |
|        | Load capacity [kg]     | 100-75-50       |
|        | Pitch [mm]             | 17              |
|        | Extraction type        | Flexible        |
|        | Commercial height [mm] | 200             |
|        | Commercial width [mm]  | 357             |
|        | Commercial depth [mm]  | 569             |
|        | Width [EH]             | 18              |
|        | Depth [EH]             | 27              |
|        | Overall height [mm]    | 194             |
|        | Overall width [mm]     | 357             |
|        | Overall depth [mm]     | 569             |
|        | Useful height [mm]     | 183             |
|        | Useful width [mm]      | 296             |
|        | Useful depth [mm]      | 449             |
|        | Colour                 | Anthracite grey |
|        | Fixing                 | Included        |
|        | RAL                    | 7016            |
|        | Quantity [NR]          | 1               |

Tolerances: dimensions  $\pm 2\%$  weights  $\pm 5\%$ 

INNOVATION  
SINCE 1929.



Company certificated ISO 9001

**FAMIS.r.l.**

VIA STAZIONE ROSSANO, 13 – 36027 ROSÀ (VI) ITALY  
TEL +39 0424 585455 – FAX +39 0424 585470  
INFO@FAMISPA.COM  
R.I. DI VICENZA, C.F. & P. IVA IT03498610249  
CAPITALE SOCIALE EURO 100.000,00 INT. VERS.  
CCIAA VI: R.E.A. N° 330190  
Soggetta ad attività di direzione e coord. di C.I.M.M. S.p.A.

FAMI EXPORT DEPT.  
TEL +39 0424 585455  
FAX +39 0424 585472  
EXPORT@FAMISPA.COM

[WWW.FAMISPA.COM](http://WWW.FAMISPA.COM)

**STOREVAN**  
TEL +39 0424 585455  
FAX +39 0424 585482  
INFO@STOREVAN.IT

[WWW.STOREVAN.COM](http://WWW.STOREVAN.COM)

|                    |                        |             |
|--------------------|------------------------|-------------|
| Drawer plastic kit | Material               | ABS and pvc |
|                    | Commercial height [mm] | 47          |
|                    | Commercial width [mm]  | 352         |
|                    | Commercial depth [mm]  | 28          |
|                    | Width [EH]             | 18          |
|                    | Overall height [mm]    | 47          |
|                    | Overall width [mm]     | 352         |
|                    | Overall depth [mm]     | 28          |
|                    | Colour                 | Dark grey   |
|                    | Handles [NR]           | 1           |
|                    | Quantity [NR]          | 6           |

|                |                        |                 |
|----------------|------------------------|-----------------|
| Pair of plates | Commercial height [mm] | 13              |
|                | Commercial width [mm]  | 404             |
|                | Commercial depth [mm]  | 149             |
|                | Width [EH]             | 18              |
|                | Overall height [mm]    | 13              |
|                | Overall width [mm]     | 404             |
|                | Overall depth [mm]     | 149             |
|                | Colour                 | Anthracite grey |
|                | Fixing                 | Included        |
|                | RAL                    | 7016            |
|                | Quantity [NR]          | 1               |

|             |                                 |                 |
|-------------|---------------------------------|-----------------|
| Fixed wheel | Material                        | Standard rubber |
|             | Load capacity [kg]              | 100             |
|             | 4 Wheels set load capacity [kg] | 300             |
|             | Commercial height [mm]          | 155             |
|             | Commercial width [mm]           | 125             |
|             | Commercial depth [mm]           | 85              |
|             | Diameter [mm]                   | 125             |
|             | Overall height [mm]             | 155             |
|             | Overall width [mm]              | 125             |
|             | Overall depth [mm]              | 85              |
|             | Colour                          | Black           |
|             | Quantity [NR]                   | 2               |

Tolerances: dimensions  $\pm 2\%$  weights  $\pm 5\%$ 

INNOVATION  
SINCE 1929.



Company certificated ISO 9001

**FAMIS.r.l.**

VIA STAZIONE ROSSANO, 13 – 36027 ROSÀ (VI) ITALY  
TEL +39 0424 585455 – FAX +39 0424 585470  
INFO@FAMISPA.COM  
R.I. DI VICENZA, C.F. & P. IVA IT03498610249  
CAPITALE SOCIALE EURO 100.000,00 INT. VERS.  
CCIAA VI: R.E.A. N° 330190

Soggetta ad attività di direzione e coord. di C.I.M.M. S.p.A.

FAMI EXPORT DEPT.  
TEL +39 0424 585455  
FAX +39 0424 585472  
EXPORT@FAMISPA.COM

[WWW.FAMISPA.COM](http://WWW.FAMISPA.COM)

**STOREVAN**  
TEL +39 0424 585455  
FAX +39 0424 585482  
INFO@STOREVAN.IT

[WWW.STOREVAN.COM](http://WWW.STOREVAN.COM)

|                         |                                 |                 |
|-------------------------|---------------------------------|-----------------|
| Swivel wheel with brake | Material                        | Standard rubber |
|                         | Load capacity [kg]              | 100             |
|                         | 4 Wheels set load capacity [kg] | 300             |
|                         | Commercial height [mm]          | 155             |
|                         | Commercial width [mm]           | 176             |
|                         | Commercial depth [mm]           | 85              |
|                         | Diameter [mm]                   | 125             |
|                         | Overall height [mm]             | 155             |
|                         | Overall width [mm]              | 176             |
|                         | Overall depth [mm]              | 85              |
|                         | Colour                          | Black           |
|                         | Quantity [NR]                   | 2               |

|                      |                         |               |
|----------------------|-------------------------|---------------|
| Sales specifications | Multiple order [NR]     | 1             |
|                      | Packaging type          | Wooden pallet |
|                      | Packaging width [mm]    | 490           |
|                      | Packaging depth [mm]    | 750           |
|                      | Packaging height [mm]   | 1090          |
|                      | Gross weight [kg]       | 72            |
|                      | Wood weight [kg]        | 7,9           |
|                      | Plastic weight [kg]     | 0,136         |
|                      | Polystyrene weight [kg] | 0,401         |
|                      | Packaging volume [m³]   | 0,4006        |

Tolerances: dimensions  $\pm 2\%$  | weights  $\pm 5\%$ 

INNOVATION  
SINCE 1929.



Company certificated ISO 9001

**FAMIS.r.l.**

VIA STAZIONE ROSSANO, 13 – 36027 ROSÀ (VI) ITALY  
TEL +39 0424 585455 – FAX +39 0424 585470  
INFO@FAMISPA.COM  
R.I. DI VICENZA, C.F. & P. IVA IT03498610249  
CAPITALE SOCIALE EURO 100.000,00 INT. VERS.  
CCIAA VI: R.E.A. N° 330190  
Soggetta ad attività di direzione e coord. di C.I.M.M. S.p.A.

FAMI EXPORT DEPT.  
TEL +39 0424 585455  
FAX +39 0424 585472  
EXPORT@FAMISPA.COM

[WWW.FAMISPA.COM](http://WWW.FAMISPA.COM)

**STOREVAN**  
TEL +39 0424 585455  
FAX +39 0424 585482  
INFO@STOREVAN.IT

[WWW.STOREVAN.COM](http://WWW.STOREVAN.COM)