

# CABINET WITH 6 DRAWERS 2X75 2X100 1X150 1X200



The photo is used only for illustrative and non-exhaustive purpose

| ART.            | EAN           | W [mm] | D [mm] | H [mm] | Net weight [kg] |
|-----------------|---------------|--------|--------|--------|-----------------|
| M23A080C0105604 | 8059340860715 | 561    | 726    | 800    | 78              |

|            |                     |     |
|------------|---------------------|-----|
| Dimensions | Width [EH]          | 27  |
|            | Depth [EH]          | 36  |
|            | Overall height [mm] | 799 |
|            | Overall width [mm]  | 560 |
|            | Overall depth [mm]  | 741 |

|            |                     |            |
|------------|---------------------|------------|
| Properties | Colour              | Blue       |
|            | RAL                 | 5012       |
|            | Drawers [NR]        | 6          |
|            | Fixing is mandatory | Wall-Floor |

Tolerances: dimensions  $\pm 2\%$  | weights  $\pm 5\%$



INNOVATION  
SINCE 1929.



Company certificated ISO 9001

## FAMIS.r.l.

VIA STAZIONE ROSSANO, 13 – 36027 ROSÀ (VI) ITALY  
TEL +39 0424 585455 – FAX +39 0424 585470  
INFO@FAMISPA.COM  
R.I. DI VICENZA, C.F. & P. IVA IT03498610249  
CAPITALE SOCIALE EURO 100.000,00 INT. VERS.  
CCIAA VI: R.E.A. N° 330190

Soggetta ad attività di direzione e coord. di C.I.M.M. S.p.A.

FAMI EXPORT DEPT.  
TEL +39 0424 585455  
FAX +39 0424 585472  
EXPORT@FAMISPA.COM

[WWW.FAMISPA.COM](http://WWW.FAMISPA.COM)

STOREVAN  
TEL +39 0424 585455  
FAX +39 0424 585482  
INFO@STOREVAN.IT

[WWW.STOREVAN.COM](http://WWW.STOREVAN.COM)

|               |                              |      |
|---------------|------------------------------|------|
| Empty cabinet | Load capacity [kg]           | 3100 |
|               | Commercial height [mm]       | 800  |
|               | Commercial width [mm]        | 561  |
|               | Commercial depth [mm]        | 726  |
|               | Width [EH]                   | 27   |
|               | Depth [EH]                   | 36   |
|               | Overall height [mm]          | 799  |
|               | Overall width [mm]           | 560  |
|               | Overall depth [mm]           | 726  |
|               | Insertion useful height [mm] | 700  |
|               | Usable insertion width [mm]  | 508  |
|               | Colour                       | Blue |
|               | RAL                          | 5012 |
|               | Quantity [NR]                | 1    |

|     |                              |           |
|-----|------------------------------|-----------|
| Bar | Material                     | Aluminium |
|     | Pitch [mm]                   | 25        |
|     | Commercial height [mm]       | 757       |
|     | Commercial width [mm]        | 117       |
|     | Commercial depth [mm]        | 62        |
|     | Overall height [mm]          | 757       |
|     | Overall width [mm]           | 117       |
|     | Overall depth [mm]           | 62        |
|     | Insertion useful height [mm] | 700       |
|     | Fixing                       | Included  |
|     | Quantity [NR]                | 1         |

|         |                     |                                                                                                                |
|---------|---------------------|----------------------------------------------------------------------------------------------------------------|
| Closure | Width [EH]          | 27                                                                                                             |
|         | Depth [EH]          | 36                                                                                                             |
|         | Closure             | Key                                                                                                            |
|         | Closure code        | C0                                                                                                             |
|         | Closure description | All the keys will have a different numbering - The lock serial number will be a random figure between 1 and 19 |
|         | Lock position       | Central                                                                                                        |
|         | Push to open        | No                                                                                                             |
|         | Locks [NR]          | 1                                                                                                              |
|         | Quantity [NR]       | 1                                                                                                              |

Tolerances: dimensions  $\pm 2\%$  weights  $\pm 5\%$ 

INNOVATION  
SINCE 1929.



Company certificated ISO 9001

**FAMIS.r.l.**

VIA STAZIONE ROSSANO, 13 – 36027 ROSÀ (VI) ITALY  
TEL +39 0424 585455 – FAX +39 0424 585470  
INFO@FAMISPA.COM  
R.I. DI VICENZA, C.F. & P. IVA IT03498610249  
CAPITALE SOCIALE EURO 100.000,00 INT. VERS.  
CCIAA VI: R.E.A. N° 330190  
Soggetta ad attività di direzione e coord. di C.I.M.M. S.p.A.

FAMI EXPORT DEPT.  
TEL +39 0424 585455  
FAX +39 0424 585472  
EXPORT@FAMISPA.COM

[WWW.FAMISPA.COM](http://WWW.FAMISPA.COM)

**STOREVAN**  
TEL +39 0424 585455  
FAX +39 0424 585482  
INFO@STOREVAN.IT

[WWW.STOREVAN.COM](http://WWW.STOREVAN.COM)

|        |                        |           |
|--------|------------------------|-----------|
| Drawer | Extraction [%]         | 92-96-100 |
|        | Load capacity [kg]     | 100-75-50 |
|        | Pitch [mm]             | 17        |
|        | Extraction type        | Flexible  |
|        | Commercial height [mm] | 75        |
|        | Commercial width [mm]  | 510       |
|        | Commercial depth [mm]  | 722       |
|        | Width [EH]             | 27        |
|        | Depth [EH]             | 36        |
|        | Overall height [mm]    | 69        |
|        | Overall width [mm]     | 510       |
|        | Overall depth [mm]     | 722       |
|        | Useful height [mm]     | 58        |
|        | Useful width [mm]      | 449       |
|        | Useful depth [mm]      | 602       |
|        | Colour                 | Blue      |
|        | Fixing                 | Included  |
|        | RAL                    | 5012      |
|        | Quantity [NR]          | 2         |

|        |                        |           |
|--------|------------------------|-----------|
| Drawer | Extraction [%]         | 92-96-100 |
|        | Load capacity [kg]     | 100-75-50 |
|        | Pitch [mm]             | 17        |
|        | Extraction type        | Flexible  |
|        | Commercial height [mm] | 100       |
|        | Commercial width [mm]  | 510       |
|        | Commercial depth [mm]  | 722       |
|        | Width [EH]             | 27        |
|        | Depth [EH]             | 36        |
|        | Overall height [mm]    | 94        |
|        | Overall width [mm]     | 510       |
|        | Overall depth [mm]     | 722       |
|        | Useful height [mm]     | 83        |
|        | Useful width [mm]      | 449       |
|        | Useful depth [mm]      | 602       |
|        | Colour                 | Blue      |
|        | Fixing                 | Included  |
|        | RAL                    | 5012      |
|        | Quantity [NR]          | 2         |

Tolerances: dimensions  $\pm 2\%$  weights  $\pm 5\%$ 

INNOVATION  
SINCE 1929.



Company certificated ISO 9001

**FAMIS.r.l.**

VIA STAZIONE ROSSANO, 13 – 36027 ROSÀ (VI) ITALY  
TEL +39 0424 585455 – FAX +39 0424 585470  
INFO@FAMISPA.COM  
R.I. DI VICENZA, C.F. & P. IVA IT03498610249  
CAPITALE SOCIALE EURO 100.000,00 INT. VERS.  
CCIAA VI: R.E.A. N° 330190  
Soggetta ad attività di direzione e coord. di C.I.M.M. S.p.A.

FAMI EXPORT DEPT.  
TEL +39 0424 585455  
FAX +39 0424 585472  
EXPORT@FAMISPA.COM

[WWW.FAMISPA.COM](http://WWW.FAMISPA.COM)

**STOREVAN**  
TEL +39 0424 585455  
FAX +39 0424 585482  
INFO@STOREVAN.IT

[WWW.STOREVAN.COM](http://WWW.STOREVAN.COM)

|        |                        |           |
|--------|------------------------|-----------|
| Drawer | Extraction [%]         | 92-96-100 |
|        | Load capacity [kg]     | 100-75-50 |
|        | Pitch [mm]             | 17        |
|        | Extraction type        | Flexible  |
|        | Commercial height [mm] | 150       |
|        | Commercial width [mm]  | 510       |
|        | Commercial depth [mm]  | 722       |
|        | Width [EH]             | 27        |
|        | Depth [EH]             | 36        |
|        | Overall height [mm]    | 144       |
|        | Overall width [mm]     | 510       |
|        | Overall depth [mm]     | 722       |
|        | Useful height [mm]     | 133       |
|        | Useful width [mm]      | 449       |
|        | Useful depth [mm]      | 602       |
|        | Colour                 | Blue      |
|        | Fixing                 | Included  |
|        | RAL                    | 5012      |
|        | Quantity [NR]          | 1         |

|        |                        |           |
|--------|------------------------|-----------|
| Drawer | Extraction [%]         | 92-96-100 |
|        | Load capacity [kg]     | 100-75-50 |
|        | Pitch [mm]             | 17        |
|        | Extraction type        | Flexible  |
|        | Commercial height [mm] | 200       |
|        | Commercial width [mm]  | 510       |
|        | Commercial depth [mm]  | 722       |
|        | Width [EH]             | 27        |
|        | Depth [EH]             | 36        |
|        | Overall height [mm]    | 194       |
|        | Overall width [mm]     | 510       |
|        | Overall depth [mm]     | 722       |
|        | Useful height [mm]     | 183       |
|        | Useful width [mm]      | 449       |
|        | Useful depth [mm]      | 602       |
|        | Colour                 | Blue      |
|        | Fixing                 | Included  |
|        | RAL                    | 5012      |
|        | Quantity [NR]          | 1         |

Tolerances: dimensions  $\pm 2\%$  weights  $\pm 5\%$ 

INNOVATION  
SINCE 1929.



Company certificated ISO 9001

**FAMIS.r.l.**

VIA STAZIONE ROSSANO, 13 – 36027 ROSÀ (VI) ITALY  
 TEL +39 0424 585455 – FAX +39 0424 585470  
 INFO@FAMISPA.COM  
 R.I. DI VICENZA, C.F. & P. IVA IT03498610249  
 CAPITALE SOCIALE EURO 100.000,00 INT. VERS.  
 CCIAA VI: R.E.A. N° 330190  
 Soggetta ad attività di direzione e coord. di C.I.M.M. S.p.A.

FAMI EXPORT DEPT.  
 TEL +39 0424 585455  
 FAX +39 0424 585472  
 EXPORT@FAMISPA.COM

[WWW.FAMISPA.COM](http://WWW.FAMISPA.COM)

**STOREVAN**  
 TEL +39 0424 585455  
 FAX +39 0424 585482  
 INFO@STOREVAN.IT

[WWW.STOREVAN.COM](http://WWW.STOREVAN.COM)

|                      |                                    |               |
|----------------------|------------------------------------|---------------|
| Drawer plastic kit   | Material                           | ABS and pvc   |
|                      | Commercial height [mm]             | 47            |
|                      | Commercial width [mm]              | 505           |
|                      | Commercial depth [mm]              | 28            |
|                      | Width [EH]                         | 27            |
|                      | Overall height [mm]                | 47            |
|                      | Overall width [mm]                 | 505           |
|                      | Overall depth [mm]                 | 28            |
|                      | Colour                             | Dark grey     |
|                      | Handles [NR]                       | 1             |
|                      | Quantity [NR]                      | 6             |
| Sales specifications | Multiple order [NR]                | 1             |
|                      | Packaging type                     | Wooden pallet |
|                      | Packaging width [mm]               | 630           |
|                      | Packaging depth [mm]               | 790           |
|                      | Packaging height [mm]              | 960           |
|                      | Gross weight [kg]                  | 83            |
|                      | Wood weight [kg]                   | 4,5           |
|                      | Plastic weight [kg]                | 0,084         |
|                      | Polystyrene weight [kg]            | 0,414         |
|                      | Packaging volume [m <sup>3</sup> ] | 0,4778        |

Tolerances: dimensions  $\pm 2\%$  weights  $\pm 5\%$ 

INNOVATION  
SINCE 1929.



Company certificated ISO 9001

**FAMIS.r.l.**

VIA STAZIONE ROSSANO, 13 – 36027 ROSÀ (VI) ITALY  
TEL +39 0424 585455 – FAX +39 0424 585470  
INFO@FAMISPA.COM  
R.I. DI VICENZA, C.F. & P. IVA IT03498610249  
CAPITALE SOCIALE EURO 100.000,00 INT. VERS.  
CCIAA VI: R.E.A. N° 330190  
Soggetta ad attività di direzione e coord. di C.I.M.M. S.p.A.

FAMI EXPORT DEPT.  
TEL +39 0424 585455  
FAX +39 0424 585472  
EXPORT@FAMISPA.COM

[WWW.FAMISPA.COM](http://WWW.FAMISPA.COM)

**STOREVAN**  
TEL +39 0424 585455  
FAX +39 0424 585482  
INFO@STOREVAN.IT

[WWW.STOREVAN.COM](http://WWW.STOREVAN.COM)