

## CABINET WITH WHEELS WITH 7 DRAWERS 2X75 4X100 1X150



The photo is used only for illustrative and non-exhaustive purpose

| ART.            | EAN           | W [mm] | D [mm] | H [mm] | Net weight [kg] |
|-----------------|---------------|--------|--------|--------|-----------------|
| M23R080C01065PD | 8059340861309 | 571    | 790    | 1022   | 98              |

|            |                     |      |
|------------|---------------------|------|
| Dimensions | Width [EH]          | 27   |
|            | Depth [EH]          | 36   |
|            | Overall height [mm] | 1022 |
|            | Overall width [mm]  | 571  |
|            | Overall depth [mm]  | 790  |

|            |              |                              |
|------------|--------------|------------------------------|
| Properties | Colour       | Light grey + Anthracite grey |
|            | RAL          | 7035+7016                    |
|            | Drawers [NR] | 7                            |

Tolerances: dimensions  $\pm 2\%$  | weights  $\pm 5\%$



INNOVATION  
SINCE 1929.



Company certificated ISO 9001

### FAMIS.r.l.

VIA STAZIONE ROSSANO, 13 – 36027 ROSÀ (VI) ITALY  
TEL +39 0424 585455 – FAX +39 0424 585470  
INFO@FAMISPA.COM  
R.I. DI VICENZA, C.F. & P. IVA IT03498610249  
CAPITALE SOCIALE EURO 100.000,00 INT. VERS.  
CCIAA VI: R.E.A. N° 330190

Soggetta ad attività di direzione e coord. di C.I.M.M. S.p.A.

FAMI EXPORT DEPT.  
TEL +39 0424 585455  
FAX +39 0424 585472  
EXPORT@FAMISPA.COM

[WWW.FAMISPA.COM](http://WWW.FAMISPA.COM)

STOREVAN  
TEL +39 0424 585455  
FAX +39 0424 585482  
INFO@STOREVAN.IT

[WWW.STOREVAN.COM](http://WWW.STOREVAN.COM)

|               |                              |           |
|---------------|------------------------------|-----------|
| Empty cabinet | Load capacity [kg]           | 3100      |
|               | Commercial height [mm]       | 800       |
|               | Commercial width [mm]        | 561       |
|               | Commercial depth [mm]        | 726       |
|               | Width [EH]                   | 27        |
|               | Depth [EH]                   | 36        |
|               | Overall height [mm]          | 799       |
|               | Overall width [mm]           | 560       |
|               | Overall depth [mm]           | 726       |
|               | Insertion useful height [mm] | 700       |
|               | Usable insertion width [mm]  | 508       |
|               | Colour                       | Lightgrey |
|               | RAL                          | 7035      |
|               | Quantity [NR]                | 1         |

|     |                              |           |
|-----|------------------------------|-----------|
| Bar | Material                     | Aluminium |
|     | Pitch [mm]                   | 25        |
|     | Commercial height [mm]       | 757       |
|     | Commercial width [mm]        | 117       |
|     | Commercial depth [mm]        | 62        |
|     | Overall height [mm]          | 757       |
|     | Overall width [mm]           | 117       |
|     | Overall depth [mm]           | 62        |
|     | Insertion useful height [mm] | 700       |
|     | Fixing                       | Included  |
|     | Quantity [NR]                | 1         |

|         |                     |                                                                                                                |
|---------|---------------------|----------------------------------------------------------------------------------------------------------------|
| Closure | Width [EH]          | 27                                                                                                             |
|         | Depth [EH]          | 36                                                                                                             |
|         | Closure             | Key                                                                                                            |
|         | Closure code        | C0                                                                                                             |
|         | Closure description | All the keys will have a different numbering - The lock serial number will be a random figure between 1 and 19 |
|         | Lock position       | Central                                                                                                        |
|         | Push to open        | No                                                                                                             |
|         | Locks [NR]          | 1                                                                                                              |
|         | Quantity [NR]       | 1                                                                                                              |

Tolerances: dimensions  $\pm 2\%$  weights  $\pm 5\%$ 

INNOVATION  
SINCE 1929.



Company certificated ISO 9001

**FAMIS.r.l.**

VIA STAZIONE ROSSANO, 13 – 36027 ROSÀ (VI) ITALY  
TEL +39 0424 585455 – FAX +39 0424 585470  
INFO@FAMISPA.COM  
R.I. DI VICENZA, C.F. & P. IVA IT03498610249  
CAPITALE SOCIALE EURO 100.000,00 INT. VERS.  
CCIAA VI: R.E.A. N° 330190  
Soggetta ad attività di direzione e coord. di C.I.M.M. S.p.A.

FAMI EXPORT DEPT.  
TEL +39 0424 585455  
FAX +39 0424 585472  
EXPORT@FAMISPA.COM

[WWW.FAMISPA.COM](http://WWW.FAMISPA.COM)

**STOREVAN**  
TEL +39 0424 585455  
FAX +39 0424 585482  
INFO@STOREVAN.IT

[WWW.STOREVAN.COM](http://WWW.STOREVAN.COM)

|                  |                        |                  |
|------------------|------------------------|------------------|
| 4-edge top shelf | Material               | PVC coated steel |
|                  | Commercial height [mm] | 23               |
|                  | Commercial width [mm]  | 562              |
|                  | Commercial depth [mm]  | 730              |
|                  | Width [EH]             | 27               |
|                  | Depth [EH]             | 36               |
|                  | Overall height [mm]    | 23               |
|                  | Overall width [mm]     | 562              |
|                  | Overall depth [mm]     | 730              |
|                  | Colour                 | Black            |
|                  | Fixing                 | Included         |
|                  | Quantity [NR]          | 1                |

|        |                        |                 |
|--------|------------------------|-----------------|
| Handle | Material               | Aluminium       |
|        | Commercial height [mm] | 65              |
|        | Commercial width [mm]  | 571             |
|        | Commercial depth [mm]  | 125             |
|        | Diameter [mm]          | 25              |
|        | Width [EH]             | 27              |
|        | Overall height [mm]    | 65              |
|        | Overall width [mm]     | 571             |
|        | Overall depth [mm]     | 125             |
|        | Colour                 | Anthracite grey |
|        | Fixing                 | Included        |
|        | RAL                    | 7016            |
|        | Quantity [NR]          | 1               |

Tolerances: dimensions  $\pm 2\%$  | weights  $\pm 5\%$ 

INNOVATION  
SINCE 1929.



Company certificated ISO 9001

**FAMIS.r.l.**

VIA STAZIONE ROSSANO, 13 – 36027 ROSÀ (VI) ITALY  
TEL +39 0424 585455 – FAX +39 0424 585470  
INFO@FAMISPA.COM  
R.I. DI VICENZA, C.F. & P. IVA IT03498610249  
CAPITALE SOCIALE EURO 100.000,00 INT. VERS.  
CCIAA VI: R.E.A. N° 330190

Soggetta ad attività di direzione e coord. di C.I.M.M. S.p.A.

FAMI EXPORT DEPT.  
TEL +39 0424 585455  
FAX +39 0424 585472  
EXPORT@FAMISPA.COM

[WWW.FAMISPA.COM](http://WWW.FAMISPA.COM)

**STOREVAN**  
TEL +39 0424 585455  
FAX +39 0424 585482  
INFO@STOREVAN.IT

[WWW.STOREVAN.COM](http://WWW.STOREVAN.COM)

|        |                        |                 |
|--------|------------------------|-----------------|
| Drawer | Extraction [%]         | 92-96-100       |
|        | Load capacity [kg]     | 100-75-50       |
|        | Pitch [mm]             | 17              |
|        | Extraction type        | Flexible        |
|        | Commercial height [mm] | 75              |
|        | Commercial width [mm]  | 510             |
|        | Commercial depth [mm]  | 722             |
|        | Width [EH]             | 27              |
|        | Depth [EH]             | 36              |
|        | Overall height [mm]    | 69              |
|        | Overall width [mm]     | 510             |
|        | Overall depth [mm]     | 722             |
|        | Useful height [mm]     | 58              |
|        | Useful width [mm]      | 449             |
|        | Useful depth [mm]      | 602             |
|        | Colour                 | Anthracite grey |
|        | Fixing                 | Included        |
|        | RAL                    | 7016            |
|        | Quantity [NR]          | 2               |

|        |                        |                 |
|--------|------------------------|-----------------|
| Drawer | Extraction [%]         | 92-96-100       |
|        | Load capacity [kg]     | 100-75-50       |
|        | Pitch [mm]             | 17              |
|        | Extraction type        | Flexible        |
|        | Commercial height [mm] | 100             |
|        | Commercial width [mm]  | 510             |
|        | Commercial depth [mm]  | 722             |
|        | Width [EH]             | 27              |
|        | Depth [EH]             | 36              |
|        | Overall height [mm]    | 94              |
|        | Overall width [mm]     | 510             |
|        | Overall depth [mm]     | 722             |
|        | Useful height [mm]     | 83              |
|        | Useful width [mm]      | 449             |
|        | Useful depth [mm]      | 602             |
|        | Colour                 | Anthracite grey |
|        | Fixing                 | Included        |
|        | RAL                    | 7016            |
|        | Quantity [NR]          | 4               |

Tolerances: dimensions  $\pm 2\%$  | weights  $\pm 5\%$ 

INNOVATION  
SINCE 1929.



Company certificated ISO 9001

**FAMIS.r.l.**

VIA STAZIONE ROSSANO, 13 – 36027 ROSÀ (VI) ITALY  
 TEL +39 0424 585455 – FAX +39 0424 585470  
 INFO@FAMISPA.COM  
 R.I. DI VICENZA, C.F. & P. IVA IT03498610249  
 CAPITALE SOCIALE EURO 100.000,00 INT. VERS.  
 CCIAA VI: R.E.A. N° 330190  
 Soggetta ad attività di direzione e coord. di C.I.M.M. S.p.A.

FAMI EXPORT DEPT.  
 TEL +39 0424 585455  
 FAX +39 0424 585472  
 EXPORT@FAMISPA.COM

[WWW.FAMISPA.COM](http://WWW.FAMISPA.COM)

**STOREVAN**  
 TEL +39 0424 585455  
 FAX +39 0424 585482  
 INFO@STOREVAN.IT

[WWW.STOREVAN.COM](http://WWW.STOREVAN.COM)

|               |                               |                 |
|---------------|-------------------------------|-----------------|
| <b>Drawer</b> | <b>Extraction [%]</b>         | 92-96-100       |
|               | <b>Load capacity [kg]</b>     | 100-75-50       |
|               | <b>Pitch [mm]</b>             | 17              |
|               | <b>Extraction type</b>        | Flexible        |
|               | <b>Commercial height [mm]</b> | 150             |
|               | <b>Commercial width [mm]</b>  | 510             |
|               | <b>Commercial depth [mm]</b>  | 722             |
|               | <b>Width [EH]</b>             | 27              |
|               | <b>Depth [EH]</b>             | 36              |
|               | <b>Overall height [mm]</b>    | 144             |
|               | <b>Overall width [mm]</b>     | 510             |
|               | <b>Overall depth [mm]</b>     | 722             |
|               | <b>Useful height [mm]</b>     | 133             |
|               | <b>Useful width [mm]</b>      | 449             |
|               | <b>Useful depth [mm]</b>      | 602             |
|               | <b>Colour</b>                 | Anthracite grey |
|               | <b>Fixing</b>                 | Included        |
|               | <b>RAL</b>                    | 7016            |
|               | <b>Quantity [NR]</b>          | 1               |

|                           |                               |             |
|---------------------------|-------------------------------|-------------|
| <b>Drawer plastic kit</b> | <b>Material</b>               | ABS and pvc |
|                           | <b>Commercial height [mm]</b> | 47          |
|                           | <b>Commercial width [mm]</b>  | 505         |
|                           | <b>Commercial depth [mm]</b>  | 28          |
|                           | <b>Width [EH]</b>             | 27          |
|                           | <b>Overall height [mm]</b>    | 47          |
|                           | <b>Overall width [mm]</b>     | 505         |
|                           | <b>Overall depth [mm]</b>     | 28          |
|                           | <b>Colour</b>                 | Dark grey   |
|                           | <b>Handles [NR]</b>           | 1           |
|                           | <b>Quantity [NR]</b>          | 7           |

|                       |                               |                 |
|-----------------------|-------------------------------|-----------------|
| <b>Pair of plates</b> | <b>Commercial height [mm]</b> | 13              |
|                       | <b>Commercial width [mm]</b>  | 557             |
|                       | <b>Commercial depth [mm]</b>  | 149             |
|                       | <b>Width [EH]</b>             | 27              |
|                       | <b>Overall height [mm]</b>    | 13              |
|                       | <b>Overall width [mm]</b>     | 557             |
|                       | <b>Overall depth [mm]</b>     | 149             |
|                       | <b>Colour</b>                 | Anthracite grey |
|                       | <b>Fixing</b>                 | Included        |
|                       | <b>RAL</b>                    | 7016            |
|                       | <b>Quantity [NR]</b>          | 1               |

Tolerances: dimensions  $\pm 2\%$  | weights  $\pm 5\%$ 

**INNOVATION**  
SINCE 1929.



Company certificated ISO 9001

**FAMIS.r.l.**

VIA STAZIONE ROSSANO, 13 – 36027 ROSÀ (VI) ITALY  
TEL +39 0424 585455 – FAX +39 0424 585470  
INFO@FAMISPA.COM

R.I. DI VICENZA, C.F. & P. IVA IT03498610249  
CAPITALE SOCIALE EURO 100.000,00 INT. VERS.  
CCIAA VI: R.E.A. N° 330190

Soggetta ad attività di direzione e coord. di C.I.M.M. S.p.A.

FAMI EXPORT DEPT.  
TEL +39 0424 585455  
FAX +39 0424 585472  
EXPORT@FAMISPA.COM

[WWW.FAMISPA.COM](http://WWW.FAMISPA.COM)

**STOREVAN**  
TEL +39 0424 585455  
FAX +39 0424 585482  
INFO@STOREVAN.IT

[WWW.STOREVAN.COM](http://WWW.STOREVAN.COM)

|                    |                                        |                 |
|--------------------|----------------------------------------|-----------------|
| <b>Fixed wheel</b> | <b>Material</b>                        | Standard rubber |
|                    | <b>Load capacity [kg]</b>              | 100             |
|                    | <b>4 Wheels set load capacity [kg]</b> | 300             |
|                    | <b>Commercial height [mm]</b>          | 155             |
|                    | <b>Commercial width [mm]</b>           | 125             |
|                    | <b>Commercial depth [mm]</b>           | 85              |
|                    | <b>Diameter [mm]</b>                   | 125             |
|                    | <b>Overall height [mm]</b>             | 155             |
|                    | <b>Overall width [mm]</b>              | 125             |
|                    | <b>Overall depth [mm]</b>              | 85              |
|                    | <b>Colour</b>                          | Black           |
|                    | <b>Quantity [NR]</b>                   | 2               |

|                                |                                        |                 |
|--------------------------------|----------------------------------------|-----------------|
| <b>Swivel wheel with brake</b> | <b>Material</b>                        | Standard rubber |
|                                | <b>Load capacity [kg]</b>              | 100             |
|                                | <b>4 Wheels set load capacity [kg]</b> | 300             |
|                                | <b>Commercial height [mm]</b>          | 155             |
|                                | <b>Commercial width [mm]</b>           | 176             |
|                                | <b>Commercial depth [mm]</b>           | 85              |
|                                | <b>Diameter [mm]</b>                   | 125             |
|                                | <b>Overall height [mm]</b>             | 155             |
|                                | <b>Overall width [mm]</b>              | 176             |
|                                | <b>Overall depth [mm]</b>              | 85              |
|                                | <b>Colour</b>                          | Black           |
|                                | <b>Quantity [NR]</b>                   | 2               |

|                             |                                |               |
|-----------------------------|--------------------------------|---------------|
| <b>Sales specifications</b> | <b>Multiple order [NR]</b>     | 1             |
|                             | <b>Packaging type</b>          | Wooden pallet |
|                             | <b>Packaging width [mm]</b>    | 630           |
|                             | <b>Packaging depth [mm]</b>    | 790           |
|                             | <b>Packaging height [mm]</b>   | 1190          |
|                             | <b>Gross weight [kg]</b>       | 108           |
|                             | <b>Wood weight [kg]</b>        | 8,9           |
|                             | <b>Plastic weight [kg]</b>     | 0,162         |
|                             | <b>Polystyrene weight [kg]</b> | 0,482         |
|                             | <b>Packaging volume [m³]</b>   | 0,5923        |

Tolerances: dimensions  $\pm 2\%$  weights  $\pm 5\%$ 

**INNOVATION**  
SINCE 1929.



Company certificated ISO 9001

**FAMIS.r.l.**

VIA STAZIONE ROSSANO, 13 – 36027 ROSÀ (VI) ITALY  
TEL +39 0424 585455 – FAX +39 0424 585470  
INFO@FAMISPA.COM  
R.I. DI VICENZA, C.F. & P. IVA IT03498610249  
CAPITALE SOCIALE EURO 100.000,00 INT. VERS.  
CCIAA VI: R.E.A. N° 330190  
Soggetta ad attività di direzione e coord. di C.I.M.M. S.p.A.

FAMI EXPORT DEPT.  
TEL +39 0424 585455  
FAX +39 0424 585472  
EXPORT@FAMISPA.COM

**WWW.FAMISPA.COM**

**STOREVAN**  
TEL +39 0424 585455  
FAX +39 0424 585482  
INFO@STOREVAN.IT

**WWW.STOREVAN.COM**