

# CABINET WITH 7 DRAWERS 1X50 2X75 2X100 1X200 1X300



The photo is used only for illustrative and non-exhaustive purpose

| ART.            | EAN           | W [mm] | D [mm] | H [mm] | Net weight [kg] |
|-----------------|---------------|--------|--------|--------|-----------------|
| M33A100C010BNPD | 8059340863204 | 714    | 726    | 1000   | 105             |

|            |                     |     |
|------------|---------------------|-----|
| Dimensions | Width [EH]          | 36  |
|            | Depth [EH]          | 36  |
|            | Overall height [mm] | 999 |
|            | Overall width [mm]  | 713 |
|            | Overall depth [mm]  | 741 |

|            |                     |                              |
|------------|---------------------|------------------------------|
| Properties | Colour              | Light grey + Anthracite grey |
|            | RAL                 | 7035+7016                    |
|            | Drawers [NR]        | 7                            |
|            | Fixing is mandatory | Wall-Floor                   |

Tolerances: dimensions  $\pm 2\%$  weights  $\pm 5\%$



INNOVATION  
SINCE 1929.



Company certificated ISO 9001

## FAMIS.r.l.

VIA STAZIONE ROSSANO, 13 – 36027 ROSÀ (VI) ITALY  
TEL +39 0424 585455 – FAX +39 0424 585470  
INFO@FAMISPA.COM  
R.I. DI VICENZA, C.F. & P. IVA IT03498610249  
CAPITALE SOCIALE EURO 100.000,00 INT. VERS.  
CCIAA VI: R.E.A. N° 330190

Soggetta ad attività di direzione e coord. di C.I.M.M. S.p.A.

FAMI EXPORT DEPT.  
TEL +39 0424 585455  
FAX +39 0424 585472  
EXPORT@FAMISPA.COM

[WWW.FAMISPA.COM](http://WWW.FAMISPA.COM)

STOREVAN  
TEL +39 0424 585455  
FAX +39 0424 585482  
INFO@STOREVAN.IT

[WWW.STOREVAN.COM](http://WWW.STOREVAN.COM)

|               |                              |           |
|---------------|------------------------------|-----------|
| Empty cabinet | Load capacity [kg]           | 3100      |
|               | Commercial height [mm]       | 1000      |
|               | Commercial width [mm]        | 714       |
|               | Commercial depth [mm]        | 726       |
|               | Width [EH]                   | 36        |
|               | Depth [EH]                   | 36        |
|               | Overall height [mm]          | 999       |
|               | Overall width [mm]           | 713       |
|               | Overall depth [mm]           | 726       |
|               | Insertion useful height [mm] | 900       |
|               | Usable insertion width [mm]  | 661       |
|               | Colour                       | Lightgrey |
|               | RAL                          | 7035      |
|               | Quantity [NR]                | 1         |

|     |                              |           |
|-----|------------------------------|-----------|
| Bar | Material                     | Aluminium |
|     | Pitch [mm]                   | 25        |
|     | Commercial height [mm]       | 957       |
|     | Commercial width [mm]        | 117       |
|     | Commercial depth [mm]        | 62        |
|     | Overall height [mm]          | 957       |
|     | Overall width [mm]           | 117       |
|     | Overall depth [mm]           | 62        |
|     | Insertion useful height [mm] | 900       |
|     | Fixing                       | Included  |
|     | Quantity [NR]                | 1         |

|         |                     |                                                                                                                |
|---------|---------------------|----------------------------------------------------------------------------------------------------------------|
| Closure | Width [EH]          | 36                                                                                                             |
|         | Depth [EH]          | 36                                                                                                             |
|         | Closure             | Key                                                                                                            |
|         | Closure code        | C0                                                                                                             |
|         | Closure description | All the keys will have a different numbering - The lock serial number will be a random figure between 1 and 19 |
|         | Lock position       | Central                                                                                                        |
|         | Push to open        | No                                                                                                             |
|         | Locks [NR]          | 1                                                                                                              |
|         | Quantity [NR]       | 1                                                                                                              |

Tolerances: dimensions  $\pm 2\%$  weights  $\pm 5\%$ 

INNOVATION  
SINCE 1929.



Company certificated ISO 9001

**FAMIS.r.l.**

VIA STAZIONE ROSSANO, 13 – 36027 ROSÀ (VI) ITALY  
TEL +39 0424 585455 – FAX +39 0424 585470  
INFO@FAMISPA.COM  
R.I. DI VICENZA, C.F. & P. IVA IT03498610249  
CAPITALE SOCIALE EURO 100.000,00 INT. VERS.  
CCIAA VI: R.E.A. N° 330190  
Soggetta ad attività di direzione e coord. di C.I.M.M. S.p.A.

FAMI EXPORT DEPT.  
TEL +39 0424 585455  
FAX +39 0424 585472  
EXPORT@FAMISPA.COM

[WWW.FAMISPA.COM](http://WWW.FAMISPA.COM)

**STOREVAN**  
TEL +39 0424 585455  
FAX +39 0424 585482  
INFO@STOREVAN.IT

[WWW.STOREVAN.COM](http://WWW.STOREVAN.COM)

|               |                        |                 |
|---------------|------------------------|-----------------|
| <b>Drawer</b> | Extraction [%]         | 92-96-100       |
|               | Load capacity [kg]     | 100-75-50       |
|               | Pitch [mm]             | 17              |
|               | Extraction type        | Flexible        |
|               | Commercial height [mm] | 50              |
|               | Commercial width [mm]  | 663             |
|               | Commercial depth [mm]  | 722             |
|               | Width [EH]             | 36              |
|               | Depth [EH]             | 36              |
|               | Overall height [mm]    | 44              |
|               | Overall width [mm]     | 663             |
|               | Overall depth [mm]     | 722             |
|               | Useful height [mm]     | 33              |
|               | Useful width [mm]      | 602             |
|               | Useful depth [mm]      | 602             |
|               | Colour                 | Anthracite grey |
|               | Fixing                 | Included        |
|               | RAL                    | 7016            |
|               | Quantity [NR]          | 1               |

|               |                        |                 |
|---------------|------------------------|-----------------|
| <b>Drawer</b> | Extraction [%]         | 92-96-100       |
|               | Load capacity [kg]     | 100-75-50       |
|               | Pitch [mm]             | 17              |
|               | Extraction type        | Flexible        |
|               | Commercial height [mm] | 75              |
|               | Commercial width [mm]  | 663             |
|               | Commercial depth [mm]  | 722             |
|               | Width [EH]             | 36              |
|               | Depth [EH]             | 36              |
|               | Overall height [mm]    | 69              |
|               | Overall width [mm]     | 663             |
|               | Overall depth [mm]     | 722             |
|               | Useful height [mm]     | 58              |
|               | Useful width [mm]      | 602             |
|               | Useful depth [mm]      | 602             |
|               | Colour                 | Anthracite grey |
|               | Fixing                 | Included        |
|               | RAL                    | 7016            |
|               | Quantity [NR]          | 2               |

Tolerances: dimensions  $\pm 2\%$  | weights  $\pm 5\%$ 

INNOVATION  
SINCE 1929.



Company certificated ISO 9001

**FAMIS.r.l.**

VIA STAZIONE ROSSANO, 13 – 36027 ROSÀ (VI) ITALY  
 TEL +39 0424 585455 – FAX +39 0424 585470  
 INFO@FAMISPA.COM  
 R.I. DI VICENZA, C.F. & P. IVA IT03498610249  
 CAPITALE SOCIALE EURO 100.000,00 INT. VERS.  
 CCIAA VI: R.E.A. N° 330190

Soggetta ad attività di direzione e coord. di C.I.M.M. S.p.A.

FAMI EXPORT DEPT.  
 TEL +39 0424 585455  
 FAX +39 0424 585472  
 EXPORT@FAMISPA.COM

[WWW.FAMISPA.COM](http://WWW.FAMISPA.COM)

**STOREVAN**  
 TEL +39 0424 585455  
 FAX +39 0424 585482  
 INFO@STOREVAN.IT

[WWW.STOREVAN.COM](http://WWW.STOREVAN.COM)

|        |                        |                 |
|--------|------------------------|-----------------|
| Drawer | Extraction [%]         | 92-96-100       |
|        | Load capacity [kg]     | 100-75-50       |
|        | Pitch [mm]             | 17              |
|        | Extraction type        | Flexible        |
|        | Commercial height [mm] | 100             |
|        | Commercial width [mm]  | 663             |
|        | Commercial depth [mm]  | 722             |
|        | Width [EH]             | 36              |
|        | Depth [EH]             | 36              |
|        | Overall height [mm]    | 94              |
|        | Overall width [mm]     | 663             |
|        | Overall depth [mm]     | 722             |
|        | Useful height [mm]     | 83              |
|        | Useful width [mm]      | 602             |
|        | Useful depth [mm]      | 602             |
|        | Colour                 | Anthracite grey |
|        | Fixing                 | Included        |
|        | RAL                    | 7016            |
|        | Quantity [NR]          | 2               |

|        |                        |                 |
|--------|------------------------|-----------------|
| Drawer | Extraction [%]         | 92-96-100       |
|        | Load capacity [kg]     | 100-75-50       |
|        | Pitch [mm]             | 17              |
|        | Extraction type        | Flexible        |
|        | Commercial height [mm] | 200             |
|        | Commercial width [mm]  | 663             |
|        | Commercial depth [mm]  | 722             |
|        | Width [EH]             | 36              |
|        | Depth [EH]             | 36              |
|        | Overall height [mm]    | 194             |
|        | Overall width [mm]     | 663             |
|        | Overall depth [mm]     | 722             |
|        | Useful height [mm]     | 183             |
|        | Useful width [mm]      | 602             |
|        | Useful depth [mm]      | 602             |
|        | Colour                 | Anthracite grey |
|        | Fixing                 | Included        |
|        | RAL                    | 7016            |
|        | Quantity [NR]          | 1               |

Tolerances: dimensions  $\pm 2\%$  | weights  $\pm 5\%$ 

INNOVATION  
SINCE 1929.



Company certificated ISO 9001

**FAMIS.r.l.**

VIA STAZIONE ROSSANO, 13 – 36027 ROSÀ (VI) ITALY  
TEL +39 0424 585455 – FAX +39 0424 585470  
INFO@FAMISPA.COM  
R.I. DI VICENZA, C.F. & P. IVA IT03498610249  
CAPITALE SOCIALE EURO 100.000,00 INT. VERS.  
CCIAA VI: R.E.A. N° 330190

Soggetta ad attività di direzione e coord. di C.I.M.M. S.p.A.

FAMI EXPORT DEPT.  
TEL +39 0424 585455  
FAX +39 0424 585472  
EXPORT@FAMISPA.COM

[WWW.FAMISPA.COM](http://WWW.FAMISPA.COM)

**STOREVAN**  
TEL +39 0424 585455  
FAX +39 0424 585482  
INFO@STOREVAN.IT

[WWW.STOREVAN.COM](http://WWW.STOREVAN.COM)

|                      |                         |                 |
|----------------------|-------------------------|-----------------|
| Drawer               | Extraction [%]          | 92-96-100       |
|                      | Load capacity [kg]      | 100-75-50       |
|                      | Pitch [mm]              | 17              |
|                      | Extraction type         | Flexible        |
|                      | Commercial height [mm]  | 300             |
|                      | Commercial width [mm]   | 663             |
|                      | Commercial depth [mm]   | 722             |
|                      | Width [EH]              | 36              |
|                      | Depth [EH]              | 36              |
|                      | Overall height [mm]     | 294             |
|                      | Overall width [mm]      | 663             |
|                      | Overall depth [mm]      | 722             |
|                      | Useful height [mm]      | 283             |
|                      | Useful width [mm]       | 602             |
|                      | Useful depth [mm]       | 602             |
|                      | Colour                  | Anthracite grey |
|                      | Fixing                  | Included        |
|                      | RAL                     | 7016            |
|                      | Quantity [NR]           | 1               |
| Drawer plastic kit   | Material                | ABS and pvc     |
|                      | Commercial height [mm]  | 47              |
|                      | Commercial width [mm]   | 658             |
|                      | Commercial depth [mm]   | 28              |
|                      | Width [EH]              | 36              |
|                      | Overall height [mm]     | 47              |
|                      | Overall width [mm]      | 658             |
|                      | Overall depth [mm]      | 28              |
|                      | Colour                  | Dark grey       |
|                      | Handles [NR]            | 1               |
|                      | Quantity [NR]           | 7               |
| Sales specifications | Multiple order [NR]     | 1               |
|                      | Packaging type          | Wooden pallet   |
|                      | Packaging width [mm]    | 790             |
|                      | Packaging depth [mm]    | 780             |
|                      | Packaging height [mm]   | 1160            |
|                      | Gross weight [kg]       | 111             |
|                      | Wood weight [kg]        | 5,1             |
|                      | Plastic weight [kg]     | 0,102           |
|                      | Polystyrene weight [kg] | 0,522           |
|                      | Packaging volume [m³]   | 0,7148          |

Tolerances: dimensions  $\pm 2\%$  weights  $\pm 5\%$ 

INNOVATION  
SINCE 1929.



Company certificated ISO 9001

**FAMIS.r.l.**

VIA STAZIONE ROSSANO, 13 – 36027 ROSÀ (VI) ITALY  
TEL +39 0424 585455 – FAX +39 0424 585470  
INFO@FAMISPA.COM

R.I. DI VICENZA, C.F. & P. IVA IT03498610249  
CAPITALE SOCIALE EURO 100.000,00 INT. VERS.  
CCIAA VI: R.E.A. N° 330190

Soggetta ad attività di direzione e coord. di C.I.M.M. S.p.A.

FAMI EXPORT DEPT.  
TEL +39 0424 585455  
FAX +39 0424 585472  
EXPORT@FAMISPA.COM

[WWW.FAMISPA.COM](http://WWW.FAMISPA.COM)

**STOREVAN**  
TEL +39 0424 585455  
FAX +39 0424 585482  
INFO@STOREVAN.IT

[WWW.STOREVAN.COM](http://WWW.STOREVAN.COM)