

## CABINET WITH WHEELS WITH 5 DRAWERS 4X100 1X200



The photo is used only for illustrative and non-exhaustive purpose

| ART.            | EAN           | W [mm] | D [mm] | H [mm] | Net weight [kg] |
|-----------------|---------------|--------|--------|--------|-----------------|
| M22R070C010GF08 | 8059340860289 | 571    | 637    | 922    | 69              |

|            |                     |     |
|------------|---------------------|-----|
| Dimensions | Width [EH]          | 27  |
|            | Depth [EH]          | 27  |
|            | Overall height [mm] | 922 |
|            | Overall width [mm]  | 571 |
|            | Overall depth [mm]  | 637 |

|          |              |                        |
|----------|--------------|------------------------|
| Property | Colour       | Lightgrey              |
|          | RAL          | 7035                   |
|          | Drawers [NR] | 5                      |
|          | Painting     | Electrophoresis-Powder |

Tolerances: dimensions  $\pm 2\%$  | weights  $\pm 5\%$



INNOVATION  
SINCE 1929.



### FAMIS.r.l.

VIA STAZIONE ROSSANO, 13 – 36027 ROSÀ (VI) ITALY  
TEL +39 0424 585455 – FAX +39 0424 585470  
INFO@FAMISPA.COM

R.I. DI VICENZA, C.F. & P. IVA IT03498610249  
CAPITALE SOCIALE EURO 100.000,00 INT. VERS.  
CCIAA VI: R.E.A. N° 330190

Soggetta ad attività di direzione e coord. di C.I.M.M. s.p.a.

FAMI EXPORT DEPT.  
TEL +39 0424 585455  
FAX +39 0424 585472  
EXPORT@FAMISPA.COM

[WWW.FAMISPA.COM](http://WWW.FAMISPA.COM)

STOREVAN  
TEL +39 0424 585455  
FAX +39 0424 585482  
INFO@STOREVAN.IT

[WWW.STOREVAN.COM](http://WWW.STOREVAN.COM)

|               |                              |           |
|---------------|------------------------------|-----------|
| Empty cabinet | Load capacity [kg]           | 3100      |
|               | Commercial height [mm]       | 700       |
|               | Commercial width [mm]        | 561       |
|               | Commercial depth [mm]        | 573       |
|               | Width [EH]                   | 27        |
|               | Depth [EH]                   | 27        |
|               | Overall height [mm]          | 699       |
|               | Overall width [mm]           | 560       |
|               | Overall depth [mm]           | 573       |
|               | Insertion useful height [mm] | 600       |
|               | Usable insertion width [mm]  | 508       |
|               | Colour                       | Lightgrey |
|               | RAL                          | 7035      |
| Painting      | Powder                       |           |
| Quantity [NR] | 1                            |           |

|                  |                        |                  |
|------------------|------------------------|------------------|
| 4-edge top shelf | Material               | PVC coated steel |
|                  | Commercial height [mm] | 23               |
|                  | Commercial width [mm]  | 562              |
|                  | Commercial depth [mm]  | 577              |
|                  | Width [EH]             | 27               |
|                  | Depth [EH]             | 27               |
|                  | Overall height [mm]    | 23               |
|                  | Overall width [mm]     | 562              |
|                  | Overall depth [mm]     | 577              |
|                  | Colour                 | Black            |
|                  | Fixing                 | Included         |
| Quantity [NR]    | 1                      |                  |

|               |                        |          |
|---------------|------------------------|----------|
| Handle        | Commercial height [mm] | 65       |
|               | Commercial width [mm]  | 571      |
|               | Commercial depth [mm]  | 125      |
|               | Width [EH]             | 27       |
|               | Overall height [mm]    | 65       |
|               | Overall width [mm]     | 571      |
|               | Overall depth [mm]     | 125      |
|               | Colour                 | Black    |
|               | Fixing                 | Included |
|               | RAL                    | 9005     |
|               | Painting               | Powder   |
| Quantity [NR] | 1                      |          |

Tolerances: dimensions  $\pm 2\%$ , weights  $\pm 5\%$ 

INNOVATION  
SINCE 1929.

**FAMIS.r.l.**

VIA STAZIONE ROSSANO, 13 – 36027 ROSÀ (VI) ITALY  
TEL +39 0424 585455 – FAX +39 0424 585470  
INFO@FAMISPA.COM  
R.I. DI VICENZA, C.F. & P. IVA IT03498610249  
CAPITALE SOCIALE EURO 100.000,00 INT. VERS.  
CCIAA VI: R.E.A. N° 330190

Soggetta ad attività di direzione e coord. di C.I.M.M. s.p.a.

FAMI EXPORT DEPT.  
TEL +39 0424 585455  
FAX +39 0424 585472  
EXPORT@FAMISPA.COM

[WWW.FAMISPA.COM](http://WWW.FAMISPA.COM)

**STOREVAN**  
TEL +39 0424 585455  
FAX +39 0424 585482  
INFO@STOREVAN.IT

[WWW.STOREVAN.COM](http://WWW.STOREVAN.COM)

|            |                                     |           |
|------------|-------------------------------------|-----------|
| <b>Bar</b> | <b>Material</b>                     | Aluminium |
|            | <b>Pitch [mm]</b>                   | 25        |
|            | <b>Commercial height [mm]</b>       | 657       |
|            | <b>Commercial width [mm]</b>        | 117       |
|            | <b>Commercial depth [mm]</b>        | 62        |
|            | <b>Overall height [mm]</b>          | 657       |
|            | <b>Overall width [mm]</b>           | 117       |
|            | <b>Overall depth [mm]</b>           | 62        |
|            | <b>Insertion useful height [mm]</b> | 600       |
|            | <b>Fixing</b>                       | Included  |
|            | <b>Quantity [NR]</b>                | 1         |

|                |                            |                                                                                                                |
|----------------|----------------------------|----------------------------------------------------------------------------------------------------------------|
| <b>Closure</b> | <b>Width [EH]</b>          | 27                                                                                                             |
|                | <b>Depth [EH]</b>          | 27                                                                                                             |
|                | <b>Closure</b>             | Key                                                                                                            |
|                | <b>Closure code</b>        | C0                                                                                                             |
|                | <b>Closure description</b> | All the keys will have a different numbering - The lock serial number will be a random figure between 1 and 19 |
|                | <b>Lock position</b>       | Central                                                                                                        |
|                | <b>Push to open</b>        | No                                                                                                             |
|                | <b>Locks [NR]</b>          | 1                                                                                                              |
|                | <b>Quantity [NR]</b>       | 1                                                                                                              |

|                        |                               |                 |
|------------------------|-------------------------------|-----------------|
| <b>Drawer H=100 mm</b> | <b>Pitch [mm]</b>             | 17              |
|                        | <b>Extraction [%]</b>         | 92-96-100       |
|                        | <b>Load capacity [kg]</b>     | 100-75-50       |
|                        | <b>Extraction type</b>        | Flexible        |
|                        | <b>Commercial height [mm]</b> | 100             |
|                        | <b>Commercial width [mm]</b>  | 510             |
|                        | <b>Commercial depth [mm]</b>  | 569             |
|                        | <b>Width [EH]</b>             | 27              |
|                        | <b>Depth [EH]</b>             | 27              |
|                        | <b>Overall height [mm]</b>    | 94              |
|                        | <b>Overall width [mm]</b>     | 510             |
|                        | <b>Overall depth [mm]</b>     | 569             |
|                        | <b>Useful height [mm]</b>     | 83              |
|                        | <b>Useful width [mm]</b>      | 449             |
|                        | <b>Useful depth [mm]</b>      | 449             |
|                        | <b>Colour</b>                 | Light grey      |
|                        | <b>Fixing</b>                 | Included        |
|                        | <b>RAL</b>                    | 7035            |
|                        | <b>Painting</b>               | Electrophoresis |
|                        | <b>Quantity [NR]</b>          | 4               |

Tolerances: dimensions  $\pm 2\%$  | weights  $\pm 5\%$ 

INNOVATION  
SINCE 1929.

**FAMIS.r.l.**

VIA STAZIONE ROSSANO, 13 – 36027 ROSÀ (VI) ITALY  
 TEL +39 0424 585455 – FAX +39 0424 585470  
 INFO@FAMISPA.COM  
 R.I. DI VICENZA, C.F. & P. IVA IT03498610249  
 CAPITALE SOCIALE EURO 100.000,00 INT. VERS.  
 CCIAA VI: R.E.A. N° 330190  
 Soggetta ad attività di direzione e coord. di C.I.M.M. s.p.a.

FAMI EXPORT DEPT.  
 TEL +39 0424 585455  
 FAX +39 0424 585472  
 EXPORT@FAMISPA.COM

[WWW.FAMISPA.COM](http://WWW.FAMISPA.COM)

**STOREVAN**  
 TEL +39 0424 585455  
 FAX +39 0424 585482  
 INFO@STOREVAN.IT

[WWW.STOREVAN.COM](http://WWW.STOREVAN.COM)

|                             |                        |             |
|-----------------------------|------------------------|-------------|
| Drawer H=200 mm             | Pitch [mm]             | 17          |
|                             | Extraction [%]         | 92-96-100   |
|                             | Load capacity [kg]     | 100-75-50   |
|                             | Extraction type        | Flexible    |
|                             | Commercial height [mm] | 200         |
|                             | Commercial width [mm]  | 510         |
|                             | Commercial depth [mm]  | 569         |
|                             | Width [EH]             | 27          |
|                             | Depth [EH]             | 27          |
|                             | Overall height [mm]    | 194         |
|                             | Overall width [mm]     | 510         |
|                             | Overall depth [mm]     | 569         |
|                             | Useful height [mm]     | 183         |
|                             | Useful width [mm]      | 449         |
|                             | Useful depth [mm]      | 449         |
|                             | Colour                 | Light grey  |
|                             | Fixing                 | Included    |
|                             | RAL                    | 7035        |
| Painting                    | Electrophoresis        |             |
| Quantity [NR]               | 1                      |             |
| Drawer plastic kit          | Material               | ABS and pvc |
|                             | Commercial height [mm] | 47          |
|                             | Commercial width [mm]  | 352         |
|                             | Commercial depth [mm]  | 28          |
|                             | Width [EH]             | 27          |
|                             | Overall height [mm]    | 47          |
|                             | Overall width [mm]     | 352         |
|                             | Overall depth [mm]     | 28          |
|                             | Colour                 | Dark grey   |
|                             | Handles [NR]           | 1           |
| Quantity [NR]               | 5                      |             |
| Pair of wheel holder plates | Commercial height [mm] | 13          |
|                             | Commercial width [mm]  | 557         |
|                             | Commercial depth [mm]  | 149         |
|                             | Width [EH]             | 27          |
|                             | Overall height [mm]    | 13          |
|                             | Overall width [mm]     | 557         |
|                             | Overall depth [mm]     | 149         |
|                             | Colour                 | Black       |
|                             | Fixing                 | Included    |
|                             | RAL                    | 9005        |
|                             | Painting               | Powder      |
| Quantity [NR]               | 1                      |             |

Tolerances: dimensions  $\pm 2\%$ ; weights  $\pm 5\%$ 

INNOVATION  
SINCE 1929.

**FAMIS.r.l.**

VIA STAZIONE ROSSANO, 13 – 36027 ROSÀ (VI) ITALY  
 TEL +39 0424 585455 – FAX +39 0424 585470  
 INFO@FAMISPA.COM  
 R.I. DI VICENZA, C.F. & P. IVA IT03498610249  
 CAPITALE SOCIALE EURO 100.000,00 INT. VERS.  
 CCIAA VI: R.E.A. N° 330190

Soggetta ad attività di direzione e coord. di C.I.M.M. s.p.a.

FAMI EXPORT DEPT.  
 TEL +39 0424 585455  
 FAX +39 0424 585472  
 EXPORT@FAMISPA.COM

[WWW.FAMISPA.COM](http://WWW.FAMISPA.COM)

**STOREVAN**  
 TEL +39 0424 585455  
 FAX +39 0424 585482  
 INFO@STOREVAN.IT

[WWW.STOREVAN.COM](http://WWW.STOREVAN.COM)

|                    |                                     |                 |
|--------------------|-------------------------------------|-----------------|
| <b>Fixed wheel</b> | <b>Material</b>                     | Standard rubber |
|                    | <b>Load capacity [kg]</b>           | 100             |
|                    | <b>Wheel set load capacity [kg]</b> | 300             |
|                    | <b>Commercial height [mm]</b>       | 155             |
|                    | <b>Commercial width [mm]</b>        | 125             |
|                    | <b>Commercial depth [mm]</b>        | 85              |
|                    | <b>Diameter [mm]</b>                | 125             |
|                    | <b>Overall height [mm]</b>          | 155             |
|                    | <b>Overall width [mm]</b>           | 125             |
|                    | <b>Overall depth [mm]</b>           | 85              |
|                    | <b>Colour</b>                       | Black           |
|                    | <b>Quantity [NR]</b>                | 2               |

|                                |                                     |                 |
|--------------------------------|-------------------------------------|-----------------|
| <b>Swivel wheel with brake</b> | <b>Material</b>                     | Standard rubber |
|                                | <b>Load capacity [kg]</b>           | 100             |
|                                | <b>Wheel set load capacity [kg]</b> | 300             |
|                                | <b>Commercial height [mm]</b>       | 155             |
|                                | <b>Commercial width [mm]</b>        | 176             |
|                                | <b>Commercial depth [mm]</b>        | 85              |
|                                | <b>Diameter [mm]</b>                | 125             |
|                                | <b>Overall height [mm]</b>          | 155             |
|                                | <b>Overall width [mm]</b>           | 176             |
|                                | <b>Overall depth [mm]</b>           | 85              |
|                                | <b>Colour</b>                       | Black           |
|                                | <b>Quantity [NR]</b>                | 2               |

|                             |                                         |               |
|-----------------------------|-----------------------------------------|---------------|
| <b>Sales specifications</b> | <b>Multiple order [NR]</b>              | 1             |
|                             | <b>Packaging type</b>                   | Wooden pallet |
|                             | <b>Packaging width [mm]</b>             | 630           |
|                             | <b>Packaging depth [mm]</b>             | 750           |
|                             | <b>Packaging height [mm]</b>            | 1090          |
|                             | <b>Gross weight [kg]</b>                | 78            |
|                             | <b>Wood weight [kg]</b>                 | 8,1           |
|                             | <b>Plastic weight [kg]</b>              | 0,087         |
|                             | <b>Polystyrene weight [kg]</b>          | 0,422         |
|                             | <b>Packaging volume [m<sup>3</sup>]</b> | 0,5150        |

Tolerances: dimensions  $\pm 2\%$ , weights  $\pm 5\%$ 

INNOVATION  
SINCE 1929.

**FAMIS.r.l.**

VIA STAZIONE ROSSANO, 13 – 36027 ROSÀ (VI) ITALY  
 TEL +39 0424 585455 – FAX +39 0424 585470  
 INFO@FAMISPA.COM  
 R.I. DI VICENZA, C.F. & P. IVA IT03498610249  
 CAPITALE SOCIALE EURO 100.000,00 INT. VERS.  
 CCIAA VI: R.E.A. N° 330190  
 Soggetta ad attività di direzione e coord. di C.I.M.M. s.p.a.

FAMI EXPORT DEPT.  
 TEL +39 0424 585455  
 FAX +39 0424 585472  
 EXPORT@FAMISPA.COM

[WWW.FAMISPA.COM](http://WWW.FAMISPA.COM)

**STOREVAN**  
 TEL +39 0424 585455  
 FAX +39 0424 585482  
 INFO@STOREVAN.IT

[WWW.STOREVAN.COM](http://WWW.STOREVAN.COM)